



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/723,664	11/25/2003	Joseph Patrick Burke	040053/QUALP837US	8086
70797 7590 05/14/2009 TUROCY & WATSON, LLP 127 Public Square 57th Floor, Key Tower Cleveland, OH 44114			EXAMINER CHAN, RICHARD	
			ART UNIT 2618	PAPER NUMBER
			NOTIFICATION DATE 05/14/2009	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket1@thepatentattorneys.com
hholmes@thepatentattorneys.com
lpasterchek@thepatentattorneys.com

Office Action Summary	Application No. 10/723,664	Applicant(s) BURKE ET AL.	
	Examiner RICHARD CHAN	Art Unit 2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 January 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14, 16, 20-25, 27 and 28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14, 16, 20-25, 27 and 28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>4/06/09</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see appeal brief filed 04/06/09, with respect to the rejection(s) of claim(s) 9-11, 13, 24, and 25 under 35 USC 102 (b) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Lee et al. (US 6,741,836).

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 9-11, 13, 24, and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ito(EP 1 089 578 A2) in view of Lee et al. (US 6,741,836).

Regarding claim 9, Ito Fig.8 teaches a method for synchronizing a wakeup schedule for a UWB module and a wakeup schedule (Fig.10) for a communications module in a wireless mobile unit, said method comprising: determining a current communications time from a received pilot signal transmitted from a base station (BS) (0052); and determining a current UWB time from an internal clock in the UWB module

21; calculating a communications interval (Gap between W-CDMA and BT wait operation), said communications interval equaling a next communications wakeup time less said current communications time; and synchronizing a new UWB wakeup time to said next communications wakeup time when said current UWB time plus said communications interval is less than a next UWB time (§0049-0052).

However, the Ito reference does not specifically teach wherein a communications interval is calculated. The Lee reference discloses a CDMA system wherein the CDMA wakeup time is calculated based on the Bluetooth wakeup time. (Col.7 line 20-45) The reference further teaches wherein the blue tooth wake up time is synchronized to the CDMA wakeup time and the processor advances the clock. (Col.8 line 12-25)

It would have been obvious to one of ordinary skill in the art to implement the calculation of a communications interval of a CDMA and Bluetooth time intervals as taught by Lee to the wakeup schedule of Ito in order to calculate an exact interval of the Bluetooth and CDMA communications interval.

Regarding claim 10, Ito and Lee combined teaches establishing said next communications wakeup time prior to said step of calculating said communications time interval; and establishing said next UWB wakeup time prior to said step of synchronizing said new UWB time (§0049-0052).

Regarding claim 11, Ito and Lee combined teaches a step of performing a UWB wakeup process and a communications wakeup process substantially at said new UWB wakeup time (¶¶0049-0052).

Regarding claims 13 and 24, Ito and Lee combined teaches said wireless mobile unit comprises a UWB-enabled communications mobile phone (figures 8).

Regarding claim 25, Ito and Lee combined teaches a wireless unit comprising: a memory means(12); a means for performing a communications wakeup process at a next communications wakeup time; means for computing next wakeup time; (wait time period setting means 111) and a means for synchronizing a new UWB wakeup time to said next communications wakeup time when said next communications wakeup time is earlier than a next UWB wakeup time (¶¶0049-0052).

4. Claims 1, 2, 4-8, 12, 14, 16, 20-23, 27, and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ito(EP 1 089 578 A2) in view of Lee et al. (US 6,741,836) in view of Mayo et al. (US 6,571,111).

Regarding claim 1, Ito teaches a method for synchronizing a wakeup schedule Fig.10 (module 11) for a first communications module (WCDMA module 21) and a wakeup schedule (module 11) for a second communications module (Blue Tooth

system) in a wireless mobile unit, said method comprising: “wait period setting control means 111 terminates the wait operation period according to the BT system in synchronization with the trailing edge of the W-CDMA wait operation period.);computing a next wakeup time for the second communication module to the next wakeup time for the first communications module; and synchronizing a new second wakeup time to said next first communications wakeup time when said next first communications wakeup time is earlier than a next second wakeup time (§¶ 0049-0051).

The Ito reference however does not specifically disclose computing a next wakeup time for the first communications module, the computing act is based at least in part on a time period set by the wireless module unit.

And the Ito reference does not specifically teach wherein a communications interval is calculated. The Lee reference discloses a CDMA system wherein the CDMA wakeup time is calculated based on the Bluetooth wakeup time. (Col.7 line 20-45) The reference further teaches wherein the blue tooth wake up time is synchronized to the CDMA wakeup time and the processor advances the clock. (Col.8 line 12-25)

It would have been obvious to one of ordinary skill in the art to implement the calculation of a communications interval of a CDMA and Bluetooth time intervals as taught by Lee to the wakeup schedule of Ito in order to calculate an exact interval of the Bluetooth and CDMA communications interval.

The Mayo reference however discloses specific lengths of time between the wakeup time periods of a mobile device calculated within the mobile phone. (Col.3 line 49-63 and Col.4 line 3-17)

It would have been obvious to one of ordinary skill in the art to implement the predetermined set amount of time between wakeup modes as disclosed by Mayo to the wakeup system of Ito in order to limit the amount of information needed to be communicated by the central network and the mobile device to synchronize the wakeup periods.

Regarding claim 2, Ito, Lee and Mayo combined teaches a method for synchronizing a wakeup schedule for a UWB module (WCDMA module 21) and a wakeup schedule for a communications module in a wireless mobile unit said method comprising: calculating a next communications wakeup time based at least in part on a time period set by the wireless mobile unit; calculating a next UWB wakeup time; and synchronizing a new UWB wakeup time to said next communications wakeup time when said next communications wakeup time is earlier than the next UWB wakeup time (§ 0049-0051).

Regarding claim 4, Ito, Lee and Mayo combined teaches determining a current communications time (Fig,10 CPU operation); and determining a current UWB time W_CDMA wait operation (§0049-0051).

Regarding claim 5, Ito, Lee and Mayo combined teaches determining a communications interval, said communications interval (BT wait operation) equaling

said next communications wakeup time less said current communications time (¶0049-0051).

Regarding claim 6, Ito, Lee, and Mayo combined teaches a step of synchronizing said new UWB wakeup time to said next communications wakeup time when said current UWB time plus said communications interval is less than said next UWB time (¶0049-0051).

Regarding claim 7, Ito, Lee, and Mayo combined teaches a step of performing a UWB wakeup process and a communications wakeup process substantially at said new UWB wakeup time (¶0049-0051).

Regarding claims 8 and 12, Ito, Lee, and Mayo combined teaches said performing step comprises a step of powering on said UWB module and said communications module substantially simultaneously so as to reduce said wireless mobile unit's power consumption (¶ 0053).

Regarding claim 14, Ito teaches a wireless mobile unit Fig.8 comprising: a communications module 2 configured to perform a communications wakeup process Fig.9 at a next communications wakeup time, wherein the communications module includes a communications transmitter/receiver 2 and a communications antenna 23 configured to receive a pilot signal from a base station BS so as to synchronize the

communications antenna configured to receive a pilot signal from a base station so as to synchronize the communications module with said base station and derive a current communications time from said pilot signal;

a UWB module 2 configured to perform a UWB wakeup process 111, wherein the UWB module comprises a clock, said clock being configured to track a current UWB time; and a processor configured to synchronize a new UWB wakeup time to said next communications wakeup time when said next communications wakeup time is earlier than a next UWB wakeup time (¶0049-0052).

However, the Ito reference does not specifically teach wherein a communications interval is calculated. The Lee reference discloses a CDMA system wherein the CDMA wakeup time is calculated based on the Bluetooth wakeup time. (Col.7 line 20-45) The reference further teaches wherein the blue tooth wake up time is synchronized to the CDMA wakeup time and the processor advances the clock. (Col.8 line 12-25)

It would have been obvious to one of ordinary skill in the art to implement the calculation of a communications interval of a CDMA and Bluetooth time intervals as taught by Lee to the wakeup schedule of Ito in order to calculate an exact interval of the Bluetooth and CDMA communications interval.

The Ito reference however does not specifically disclose computing a next wakeup time for the first communications module, the computing act is based at least in part on a time period set by the wireless module unit.

The Mayo reference however discloses specific lengths of time between the wakeup time periods of a mobile device calculated within the mobile phone. (Col.3 line 49-63 and Col.4 line 3-17)

It would have been obvious to one of ordinary skill in the art to implement the predetermined set amount of time between wakeup modes as disclosed by Mayo to the wakeup system of Ito in order to limit the amount of information needed to be communicated by the central network and the mobile device to synchronize the wakeup periods.

Regarding claim 16, Ito, Lee, and Mayo combined teaches said UWB module is configured to perform said UWB wakeup process at said new UWB wakeup time when said next communications wakeup time is earlier than said next UWB wakeup time (¶0049-0052).

Regarding claim 20, Ito, Lee, and Mayo combined teaches said processor is further configured to calculate a communications interval, said communications interval equaling said next communications wakeup time less said current communications time (¶0049-0052).

Regarding claim 21, Ito, Lee, teaches said processor is further configured to synchronize said new UWB wakeup time to said next communications wakeup time

when said current UWB time plus said communications interval is less than said next UWB time (¶0049-0052).

Regarding claim 22, Ito, Lee, and Mayo combined teaches said communications module performs said communications wakeup process and said UWB module performs said UWB wakeup process substantially at said new UWB wakeup time (¶0049-0052).

Regarding claim 23, Ito, Lee, and Mayo combined teaches said communications module and said UWB module are configured to power on substantially simultaneously so as to reduce said wireless mobile unit's power consumption (¶0049-0052).

Regarding claim 27, Ito teaches a digital signals processing apparatus comprising: a memory means 12 for storing digital data; and a digital signal processing means 11 for interpreting digital signals to synchronize a wakeup schedule for a UWB module 2 and a wakeup schedule (Fig.10) for a communications module in a wireless mobile unit Fig.8 by: determining a next communications wakeup time; and synchronizing a new UWB wakeup time to said next communications wakeup time when said next communications wakeup time is earlier than a next UWB wakeup time (¶0049-0052).

However, the Ito reference does not specifically teach wherein a communications interval is calculated. The Lee reference discloses a CDMA system wherein the CDMA

wakeup time is calculated based on the Bluetooth wakeup time. (Col.7 line 20-45) The reference further teaches wherein the blue tooth wake up time is synchronized to the CDMA wakeup time and the processor advances the clock. (Col.8 line 12-25)

It would have been obvious to one of ordinary skill in the art to implement the calculation of a communications interval of a CDMA and Bluetooth time intervals as taught by Lee to the wakeup schedule of Ito in order to calculate an exact interval of the Bluetooth and CDMA communications interval.

The Ito reference however does not specifically disclose computing a next wakeup time for the first communications module, the computing act is based at least in part on a time period set by the wireless module unit.

The Mayo reference however discloses specific lengths of time between the wakeup time periods of a mobile device calculated within the mobile phone. (Col.3 line 49-63 and Col.4 line 3-17)

It would have been obvious to one of ordinary skill in the art to implement the predetermined set amount of time between wakeup modes as disclosed by Mayo to the wakeup system of Ito in order to limit the amount of information needed to be communicated by the central network and the mobile device to synchronize the wakeup periods.

Regarding claims 28, Ito, Lee, and Mayo combined teaches said digital signal processing means further interpreting digital signals to establish said next UWB wakeup

time after said determining a next communications wakeup time and before said synchronizing a new UWB wakeup time (§0049-0052).

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to RICHARD CHAN whose telephone number is (571)272-0570. The examiner can normally be reached on Mon - Fri (9AM - 5PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571)272-7882. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nay A. Maung/
Supervisory Patent Examiner, Art Unit 2618

/Richard Chan/
Examiner, Art Unit 2618

Application/Control Number:
10/723,664
Art Unit: 2618

Page 13